



# Scalable and Optimized Terrain Parameter Computation with the GEOtiled Framework

Jack Marquez<sup>1</sup>, Kin NG<sup>1</sup>, Gabriel Laboy<sup>2</sup>, Paula Olaya<sup>1</sup>, Rodrigo Vargas<sup>2</sup>, and Michela Taufer<sup>1</sup>

#### Motivation

Scientists use **terrain parameters** (e.g. elevation, slope, aspect) in their analysis of various Earth Science studies, such as soil moisture prediction, fire propagation zoning, and hydrology mapping.





**Problem:** Higher resolution DEMs have larger file sizes, causing existing GIS libraries to compute parameters much slower.

SAGA
- Slow
- Does not scale
+ Computes more terrain parameters
+ Implements geoscientific algorithms

#### **Our Solution:**


**Non-Unified Concurrency** 


We update GEOtiled – a workflow that integrates GDAL and SAGA libraries to provide rapid, scalable computation of terrain parameters by leveraging data decomposition and parallel computation – to GEOtiled 2.0

Our optimizations include:

- Parallelizing the crop procedure for scalable computation
- Updating the mosaic algorithm to a better performing one
- Unifying parallel processes in the workflow to minimize overhead


#### **GEOtiled Framework**






- Gives the option to choose between GDAL or SAGA for computing parameters
- Computes 5 times more parameters than GDAL with the SAGA addition
- Decreases the computational cost incurred with the SAGA library

## **Optimization 1: Concurrent Cropping**




We parallelize the crop method by first computing each tile's bounds, i.e., windows. Tiles are then cropped concurrently from the input DEM for every window.

# Optimization 2: Updated Mosaic Procedure




The previous mosaic process averages overlapping regions, but since these buffers have copied and not shared data, we crop the regions in parallel and concatenate the tiles together.

### Optimization 3: Unified Parallel Processes



# **Optimization Results**



#### References

- Implement SAGA's remaining terrain parameter algorithms into GEOtiled 2.0, giving it greater applicability
- to other Earth Science domains

  Optimize memory usage by mitigating the file I/O in the

**Future Work** 

intermediary steps (i.e., Steps 3 and 4) of GEOtiled 2.0

- neierences
- Laboy, G., Lumsden, I., Olaya, P., Marquez, J., NG, K. W., Vargas, R., & Taufer, M. (2025, September). GEOtiled-SG: A Scalable Framework for High-Resolution Terrain Parameter Computation. In 2025 IEEE International Conference on eScience (eScience) (pp. 84-92). IEEE..
- Laboy, G., Olaya, P., Marquez, J., Sutherlin, M., Vargas, R., & Taufer, M. (2025, July). Advancing the GEOtiled Framework Through Scalable Terrain Parameter Computation. In Proceedings of the 34th International Symposium on High-Performance Parallel and Distributed Computing (pp. 1-2). D. Rorabaugh, M. Guevara, R. Llamas, J. Kitson, R. Vargas and M. Taufer, "SOMOSPIE: A Modular SOil MOisture SPatial Inference Engine Based on Data-Driven Decisions," 2019 15th International Conference on eScience (eScience), San Diego, CA, USA, 2019, pp. 1-10, doi:
- Roa, C., Olaya, P., Llamas, R., Vargas, R., and Taufer, M. (2023). Geotiled: A scalable workflow for generating large datasets of high-resolution terrain parameters. *In Proceedings of the 32nd International Symposium on High-Performance Parallel and Distributed Computing*, HPDC '23, page 311–312, New York, NY, USA. Association for Computing Machinery.
  Santana Neto, Vicente & Soares, David & Camargos, Thais & Torres, Fillipe. (2023). Assessment of two methods on zoning wildfire propagation in
- Itacolomi State Park, Minas Gerais State, Brazil. Pesquisa Florestal Brasileira. 43. 1-12. 10.4336/2023.pfb.43e202102227.

Warmerdam, F. (2008). The Geospatial Data Abstraction Library, pages 87-104. Springer Berlin Heidelberg, Berlin, Heidelberg.



**GEOtiled software** 





10.1109/eScience.2019.00008.